MHP

Sterile Instrumente

Orthopaedics

Catalogue

MHP - Handelsgesellschaft Deutschland mbH

www.mhp-gmbh.com

info@mhp-gmbh.com

Table of Contents

01. Introduction

02. Drill bits / Tap drills / Countersinks

02. ..... Drill
02. ..... Taps
02. ..... Mini Countersink
02. ..... Small Countersink
02. ..... Malleolar Countersink
02. ..... Large Countersink

03. Handles

03. ..... Dental
03. ..... Fiber Handle
03. ..... T-Handle
03. ..... Jacob's Chuck
03. ..... Key Handle
03. ..... Fiber

04. Bone Drills

04. ..... Ralk
04. ..... Ralk
04. ..... Hudson
04. ..... Cushing

05. Screw Drivers

05. ..... Screw Driver
05. ..... Screw Driver
05. ..... Screw Driver
05. ..... Williams Screw Driver
05. ..... Hexagonal Head
05. ..... Holding Sleeve

06. Instruments for Plating

06. ..... Depth Gauge
06. ..... Screw Forceps
06. ..... Sharp Hook
06. ..... Bending Template
06. ..... Combination Wrench
06. ..... Socket Wrench
07. ..... Compression Wrench
07. ..... Articulated Tension Device
07. ..... Pin Wrench
07. ..... Drill Sleeve

08. Plate Bending Instruments

08. ..... Bending Iron
08. ..... Bending Irons
08. ..... Bending Irons
08. ..... Bending Irons
08. ..... Bending Pliers

09. Drill Sleeves

09. ..... Mini Drill Sleeve
09. ..... Drill Guide
09. ..... Tap & Drill Sleeve
09. ..... Neutral and Load Drill Guide
09. ..... Tap Sleeve
09. ..... Tap Sleeve

10. ..... Drill Sleeve
10. ..... Drill Small Pointed
10. ..... Drill Guide
11. ..... Drill Guide

10. ..... Insert Drill Sleeve
10. ..... Drill Pointed Guide
10. ..... Drill Guide
11. ..... C - Clamp

12. Bone Holding Forceps/Reposition Forceps

12. ..... Collin
12. ..... Ferguson
13. ..... Collin
13. ..... Ferguson
14. ..... Ulrich
14. ..... Jaws Set
15. ..... Lane
15. ..... Kern
16. ..... Lambotte
16. ..... Hey Groves
17. ..... Lowmann Bone Clamp
17. ..... Lewin
18. ..... Ortho Forceps
18. ..... Verbrugge
19. ..... Verbrugge
19. ..... Verbrugge
20. ..... Reduction Forceps
20. ..... Holding Forceps
21. ..... Malleolar Forceps
21. ..... Reduction Forceps

12. ..... Dingmann
13. ..... Collin
13. ..... Bardeleben
14. ..... Self Centering Bone Holding Forceps
14. ..... Semb
15. ..... Charnley Bone Forceps
15. ..... Lane
16. ..... Farabeuf Lambotte
16. ..... Lambotte
17. ..... Ulrich
17. ..... Gerster
18. ..... Ortho Forceps
18. ..... Verbrugge
19. ..... Verbrugge
19. ..... Verbrugge
20. ..... Reil
20. ..... Reduction Forceps
21. ..... Ratchet Fixation Forceps
21. ..... Patella Forceps
21. ..... Reposition Forceps

22. Pelvic Reposition Forceps

22. ..... Pelvic Reposition Forceps
22. ..... Pelvic Reposition Forceps
23. ..... Pelvic Reposition Forceps

22. ..... Pelvic Reposition Forceps
22. ..... Pelvic Reposition Forceps
23. ..... Pelvic Reposition Forceps

23. Pelvic Reduction Forceps

23. ..... Pelvic Reduction Forceps Asymmetric
23. ..... Pelvic Reduction Forceps Asymmetric

23. ..... Pelvic Reposition Forceps Asymmetric

24. Pelvic Instruments

24. ..... Sharp Bone Hook
24. ..... Pelvic Reposition Forceps
24. ..... Tap Handle

25. Amputation Saw

25. ..... Gigle Saw
25. ..... Engel Plaster Saw
26. ..... Charriere
26. ..... Satterlee
25. ..... Gigli Handle
25. ..... Charriere
26. ..... Charriere
26. ..... Percy Retractor

27. Mallets

27. ..... Mallet
27. ..... Mallet
28. ..... Mallet
28. ..... Mallet
29. ..... Williger
29. ..... Lucae
30. ..... Partsch
30. ..... Herbert
31. ..... Ortho / with Plastic Caps
31. ..... Orthopaedic Mallet
32. ..... Ortho
32. ..... Gerzog
33. ..... Cottle
27. ..... Mallet
27. ..... Mallet
28. ..... Mallet
28. ..... Mallet
29. ..... Doyen
29. ..... Williger
30. ..... Mead
30. ..... Vickers
31. ..... Ortho
31. ..... Hajek
32. ..... Bergmann
32. ..... Ombredanne
33. ..... Collin

34. Bone Curetts

34. ..... Bruns
34. ..... Hibbs-Sprratt Straight
35. ..... Spratt Hollow Handle
35. ..... Volkmann
36. ..... Simon
36. ..... Lucas
37. ..... Martini, Double Ended
37. ..... Volkmann, Double Ended
38. ..... Bruns
38. ..... Fiber Handle
39. ..... Bruns
39. ..... Cushing
34 ..... Hibbs-Sprratt Angled
34. ..... Williger
35. ..... Volkmann
36. ..... Uffenorde
36. ..... Bruns
37. ..... Williger, Double Ended
37. ..... Jansen, Double Ended
38. ..... Spratt
38. ..... Scoville
39. ..... Bruns
39. ..... Scoville

40. ..... Simon
40. ..... Tay-Bronson
40. ..... Pituitary Curette

41. Impactors / Tamps

41. ..... Lumbar, Cervical Impactors & Drivers
41. ..... Bone Tamp Endoscopic

42. Chisels / Osteotomes

42. ..... Hibbs Chisel / Osteotomes
42. ..... Hibbs Chisel / Osteotomes Endoscopic
42. ..... Cobb Chisel / Osteotomes

43. Elevators

43. ..... Harrington Spinal Elevator
43. ..... Cobb Spinal
45. ..... Smithwick Hook & Dissector
45. ..... Penfield Elevator Endoscopic
46. ..... Kleinert Kutz Elevator & Dissector
46. ..... Woodson Elevator/Spatula
47. ..... Penfield Elevators
43 ..... RIB Elevator
44. ..... Rhoton Micro
45. ..... Nerve Probe Endoscopic
46. ..... Sachs Nerve
46. ..... Freer Elevator
46. ..... Woodson Dural Separator / Packer

48. Reamer, Elevators, Bone Files & Alveotomy Files

48. ..... Perthes
49. ..... Putti
49. ..... Bone Tamps
49. ..... Miller Alveotomy File
48 ..... Bone Hook
49. ..... Bone Tamps
49. ..... Miller-Colburn Bone File

50. Gauges

50. ..... Cobb
50. ..... Hibbs Gougs Endoscopic
50. ..... Cobb

51. Osteotomes, Gauges & Chisels

51. ..... Lexer Osteotomes / Gauge
51. ..... Flat
51. ..... Mini Lexer
51 ..... Lexer
51. ..... Hollow

52. Osteotomes & Gauges

52. ..... Smith Peterson
52. ..... Stille
52. ..... Stille Chisels/Osteotomes
52. ..... Chisel Handle

53. Osteotomes

53. ..... Mini Lambotte
53. ..... Lambotte

54. Gauges

54. ..... Partsch
54. ..... Smith Peterson
54 ..... Alexander
54. ..... Stille
55. ..... Straight Gauge
55. ..... Curved Gauge

56. Osteotomes, Gauges

56. ..... Smith Peterson Osteotome, Straight
56. ..... Smith Peterson Gauge, Straight
56. ..... Lambotte Osteotome, Straight
56 ..... Smith Peterson Osteotome, Curved
56. ..... Smith Peterson Gauge, Curved

57. Elevators

57. ..... Cobb Spinal Elevator
57. ..... Cobb Modiff
58. ..... Hoen
57. ..... Harrington Spinal Elevator
57. ..... Cobb Modiff
58. ..... Sebileau

59. Periosteal Elevators

59. ..... Periosteal Elevator
59. ..... Hoen Periosteal Elevator
60. ..... Cobb Elevators
60. ..... Doyen RIB Raspatory
61. ..... ST. Thomas
61. ..... Robinson's
61. ..... Williger
62. ..... Lane
62. ..... Bristow's
62. ..... Key
63. ..... Langenbeck
63. ..... Adson
63. ..... Langenbeck
64. ..... Langenbeck
65. ..... Farabeuf
59 ..... Chandler Bone Elevator
59. ..... Key Periosteal Elevator
60. ..... Periosteal Elevator
60. ..... Adson Elevator
61. ..... ST. Thomas
61. ..... Williger
61. ..... Lane
62. ..... Trethowan's
62. ..... Sedillot
62. ..... Pennybacker
63. ..... Cushing
63. ..... Hoen
63. ..... Cushing
65. ..... Lambotte

66. Elevators

66. ..... Carroll Periosteal Elevator
66. ..... Cushing Periosteal Elevator
66. ..... Key Periosteal Elevator Sharp Edge
66. ..... Adson Periosteal
66. ..... Langenbeck Periosteal Elevator

67. Bone Livers, Knee Retractors & Spinal Retractors

67. ..... Aufranc
67. ..... Bennet
68. ..... Hohmann
69. ..... Retractor for Knee
69. ..... Matson
67 ..... Blaunt Knee Retractor
67. ..... Periosteal Elevator
69. ..... Lange-Hohmann
69. ..... Alexander

70. Retractors

70. ..... Cushing Vein Retractor
70. ..... Scoville
70. ..... Hibbs
71. ..... Senn Retractor
71. ..... Blade Retractor
70 ..... Cushing Decompression Retractor
70. ..... Taylor
70. ..... Meyerding
71. ..... Little Retractor

72. Dura Dissectors

72. ..... Frazier
72. ..... Horsley
73. ..... Davis
73. ..... Olivecrone Heavy Pattern
72. ..... Hoen
72. ..... Toennis
73. ..... Olivecrone Delicate Pattern

74. Micro Instruments

74. ..... Dissector
74. ..... Curette
74. ..... Hook
74. ..... Tissue Lifter
75. ..... Nail Extracting Forceps
75. ..... Nail Splitting Forceps
76. ..... Ring Cutter
74. ..... Raspatory
74. ..... Curette
74. ..... Hook
75. ..... Nail Extracting Forceps
75. ..... Finger Nail Drill with 3 drill points
76. ..... Ring Cutter

77. Flat Nose Pliers, Tendon Tunnling Forceps

77. ..... Needle Nose Pliers
77. ..... Flat Nose
78. ..... Band
78. ..... Carroll
77. ..... Needle Nose Pliers
77. ..... Tendon
78. ..... Band
78. ..... Lead Hand

79. Flat Nose, Combi- Flate, Vise Grip Pliers

79. ..... Flat Nosed Parallel Pliers
79. ..... Locking Pliers
80. ..... Loute
80. ..... Slip Joint
79. ..... Flat Nosed Parallel Pliers
79. ..... Flat Nosed Plier
80. ..... Model USA

81. Wire Instruments

81. ..... Extraction Pliers
81. ..... Extraction Pliers
82. ..... Flat-Nosed Parallel Pliers
82. ..... Vise Grip
81. ..... Extraction Pliers
81. ..... Extraction Pliers
82. ..... Flat-Nosed Parallel Pliers
82. ..... Wire Tightening Pliers

83. Flat Nose, Combi-Flat Pliers

83. ..... Wire Forceps
83. ..... Extraction Pliers
83 ..... Needle Nosed
83. ..... Nail Extractor

84. Wire Instruments

84. ..... Bending Iron for Krischner Wires
84. ..... Rounded Pliers with Serrated Jaws
85. ..... Universal Scissors
85. ..... Wire Bending Pliers
84. ..... Pliers with Serrated & Groove Jaws
84. ..... Wire Bending Cutting Pliers
85. ..... Wire Cutter T/C
85. ..... Wire Cutter

86. Extension Pin, Bow

86. ..... Krischner
86. ..... Krischner
87. ..... Charnley-Mueller
86. ..... Krischner American Type
86. ..... Screw Nut Wrench

88. Bone Rongeurs

88. ..... Hartmann
88. ..... Luer
89. ..... Universal
89. ..... Stellbrink Synovctomy Rongeur
90. ..... Leur
90. ..... Cleveland
91. ..... Lempert
91. ..... Adson
92. ..... Hakansson
92. ..... Leksell-Stille
93. ..... Echlin/Stille
93. ..... Mayfield
94. ..... Ruskin-Mini
94. ..... Bohler
95. ..... Zaufal Jansen
95. ..... Stille
88. ..... Blumenthal
88. ..... Friedman & Mini-Fiedman
89. ..... Bacon
89. ..... Luer
90. ..... Cleveland
90. ..... Mead
91. ..... Lempert
91. ..... Bane
92. ..... Stille-Ruskin
92. ..... Stille-Luer
93. ..... Beyer Rongeur
93. ..... Kleinert-Kutz
94. ..... Ruskin
94. ..... Beyer
95. ..... Semb
95. ..... Echlin

96. ..... Leksell
96. ..... Ruskin Rongeur
97. ..... Stille-Leur Rongeur Froceps
97. ..... Leksell Rongeur Froceps

96. ..... Mayfield
96. ..... Marquardt
97. ..... Stille Rongeur Froceps
97. ..... Sauerbrunch

98. Bone Cutting Forceps

98. ..... Liston Bone Cutting Froceps
98. ..... Markwalder
99. ..... Cleveland-Gardner
99. ..... Ruskin-Liston
100. .... Cleveland
100. .... Liston
101. ..... Mc Indoe
101. ..... Liston-Key (Horsley)
102. .... Semb

98. ..... Liston
98. ..... Littauer/Liston
99. ..... Walton-Liston
99. ..... Stille-Listo
100. .... Cleveland
100. .... Liston-Stille
101. ..... Horsley Bone Cutting Forceps
101. ..... Cottle Kazanjian
102. .... Ruskin Bone Splitting Forceps

103. Dressing Scissors / Plaster Shears

103. ..... Gorney Septal Scissors
103. ..... Seutin
104. .....Stille
104. .....Caplan

103. .....Utility Shears
103. .....Wolff
104. .....Henning

105. Orthopaedics Wire Cutter

105. .....Diamant Pin Cutter

106. Flat Nose Pliers & Wire Cutting Pliers T.C Inserted

106. .....Extraction Pliers
106. .....Extraction Pliers
107. ..... Wire Cutters
107. ..... Wire Cutters

106. .....Extraction Pliers
106. .....Wire Cutters
107. ..... Wire Cutters

108. Wire Cutting Pliers T.C Inserted

108. .....Universal Scissors
108. .....Wire Cutters
109. ..... Wire Cutters

108. .....Wire Cutters
108. .....Wire Cutters
109. ..... Wire Cutters

MHP
Sterile Instrumente

Introduction

Orthopaedics places particularly high demands on surgical instruments.

Surgery on bones and joints requires precision work, reliable power transmission and instruments that function reliably even under high mechanical stress. At the same time, hygiene, process reliability and availability play a central role – especially in everyday operating theatre work with standardised procedures and clear reprocessing methods.

The orthopaedic catalogue from MHP-Sterile Instrumente therefore combines disposable and reusable instruments in a structured overview. Disposable instruments offer the advantage of being sterile and ready for immediate use – without any reprocessing effort and with consistent quality per application. They are particularly suitable for plannable procedures, as a supplement in case of bottlenecks, for individual instrument positions in sets or wherever rapid availability and clear hygiene processes are required.

Reusable instruments are designed for long-term use and support sustainable instrument logistics. They enable stable, familiar handling over many uses and can be integrated into established reprocessing and set structures. Robust workmanship, clear labelling and reliable function after repeated cleaning and sterilisation are crucial factors here.

With this catalogue, we are laying the foundation for selecting the right solution depending on the indication, workflow and organisational requirements – whether as a purely disposable concept, a classic reusable system or a sensible mix of both variants for efficient and safe care in orthopaedics.



MHP
Sterile Instrumente

Drill Bits / Taps / Countersinks

Drill Bits



Size	Round Shaft	AO Coupling	Dental Coupling
1.1 mm	26M-001H-11P	26M-012H-11P	26M-023H-11P
1.5 mm	26M-002H-15P	26M-013H-15P	26M-024H-15P
2.0 mm	26M-003H-20P	26M-014H-20P	26M-025H-20P
2.5 mm	26M-004H-25P	26M-015H-25P	26M-026H-25P
2.7 mm	26M-005H-27P	26M-016H-27P	26M-027H-27P
3.2 mm	26M-006H-32P	26M-017H-32P	26M-028H-32P
3.2 mm(long)	26M-007H-32LP	26M-018H-32LP	26M-029H-32LP
3.5 mm	26M-008H-35P	26M-019H-35P	26M-030H-35P
3.5 mm(long)	26M-009H-35LP	26M-020H-35LP	26M-031H-35LP
4.5 mm	26M-010H-45P	26M-021H-45P	26M-032H-45P
4.5 mm(long)	26M-011H-45LP	26M-022H-45LP	26M-033H-45LP

Taps



Size	T-Handle	AO Coupling	Dental Coupling
1.5 mm			26M-048H-15P
2.0 mm			26M-049H-20P
2.7 mm	26M-034H-27P	26M-041H-27P	
3.5 mm(Cortical)	26M-035H-35P	26M-042H-35P	
3.5 mm(Cancellous)	26M-036H-35DP	26M-043H-35DP	
4.0 mm	26M-037H-40P	26M-044H-40P	
4.5 mm(Short Thread)	26M-038H-45P	26M-045H-45LP	
4.5 mm(Long Thread)	26M-039H-45DP	26M-046H-45DP	
6.5 mm	26M-040H-65P	26M-047H-65LP	

Mini Countersink



26M-050H-15P
1.5 mm Screws
2.00 mm Diam Tip
1.1 mm

Small Countersink



26M-051H-27P
2.7 , 3.5 mm and
4.00 mm Screws Tip
2.0 mm

Malleolar Countersink



26M-052H-45P
Tip 3.2 mm

Large Countersink



26M-053H-65P
4.5 mm and 6.5 Diam
Diam Screws Tip 4.5 mm

MHP
Sterile Instrumente

Handles

Dental



26M-054H-11P
handle coupling

Fiber Handle



26M-055H-32P
AO coupling

T-Handle



26M-056H-02P
AO coupling

Jacob's Chuck



26M-057H-01P T-Handle and key
26M-058H-02P only
26M-059H-03P key

Key Handle



26M-060H-15P

Fiber



26M-061H-180P
18cm, 7"
key handle


Bone Drills

Ralk



26M-062H-03P
Hand Drill light metal case and laterly angled handle, with 3 - jaw chuck and key, opening up to 6.35 mm diameter

Ralk



26M-063H-21P
6.35 mm capacity, 2 to 1 gear ratio connulated

Hudson



26M-064H-000P



Fig. 1
26M-065H-01P



Fig. 2
26M-066H-02P



Fig. 3
26M-067H-03P

Cushing



26M-068H-07P



26M-069H-13P

Screw Drivers

Screw Driver



26M-070H-20P
Single head

Screw Driver



26M-071H-48P
Philips head

Screw Driver



26M-072H-10P
sloted head

Williams
Screw Driver





26M-073H-06P
Philips head



26M-074H-06P
Sloted head



26M-075H-06P
Single head



26M-076H-06P
Hexagonal head
3.5 mm

Hexagonal Head



Size of screws	Head Size	Fiber-Handle	AO Coupling	Dental Coupling
1.5 mm	1.5 mm	26M-077H-15P	26M-080H-15P	26M-083H-15P
2.0 mm				
2.7 mm	2.5 mm	26M-078H-25P	26M-081H-25P	
3.5 mm				
4.0 mm				
4.5 mm	3.5 mm	26M-079H-35P	26M-082H-35P	
6.5 mm				



Holding Sleeve
26M-084H-15P
1.5 mm



Holding Sleeve
26M-085H-55P
5.5 mm

Instruments for Plating

Depth Gauge



26M-086H-15P
1.5 mm & 2.0 mm Screws
26M-087H-27P
2.7 mm & 4.0 mm Screws
26M-088H-45P
4.5 mm & 6.5 mm Screws

Screw Forceps



26M-089H-001P

Sharp Hook



26M-090H-001P

Bending Template



Size	3.5 mm	4.5 mm
5 hole		**26M-093H-05P**
7 hole	**26M-091H-07P**	**26M-094H-07P**
9 hole	**26M-092H-09P**	**26M-095H-09P**

Combination Wrench



26M-096H-11P
width across flats 11 mm

Socket Wrench



26M-097H-11P
width across flats 11 mm


Instruments for Plating

Compression Device



26M-098H-08P
8 mm Screw-Type

Articulated Tension Device



26M-099H-20P
With an indicator span of 20 mm, it can also be used for distraction of standard and small plates.

Pin Wrench



26M-100H-02P
Tension Device & Distactor

Drill Sleeve



26M-101H-07P
Tension Device

Plate Bending Instruments

Bending Iron



26M-102H-01P
Mini-Plates

Bending Irons




26M-103H-02P
small plates that can
be used as a pair

Bending Irons



26M-104H-03P
small plates that can
be used as a pair

Bending Iron



26M-105H-04P
Standard plates with
break-open widths
of 4 and 6 mm

Bending Pliers



26M-106H-15P
1.5 and 2.0 mm Plates

Drill Sleeves

Mini
Drill Sleeve



26M-107H-11P
1.1 and 1.5 mm drill bits
26M-108H-15P
1.5 and 2.0 mm drill bits

Drill Guide




26M-109H-20P
drill sleeve for 2.0 mm
drill bit

Tap Sleeve
Drill Sleeve



26M-110H-27P
Tap sleeve, 2.0 mm Ø
Drill sleeve, 2.7 mm Ø
26M-111H-35P
Tap sleeve, 2.5 mm Ø
Drill sleeve, 3.5 mm Ø

Neutral & Load
Drill Guide



26M-112H-20P 1.5 mm for 2.0 mm Screws
26M-113H-27P 2.0 mm for 2.7 mm Screws
26M-114H-35P 2.5 mm for 3.5 mm Screws
26M-115H-45P 3.2 mm for 4.5 mm Screws

Tap Sleeve



26M-116H-35P
3.5 mm also for used
as 3.2 mm drill Guide

Tap Sleeve



26M-117H-45P
4.5mm

Drill Sleeves

Drill Sleeve



26M-118H-32P
302 mm for Round Hole Plates

Insert Drill Sleeve



26M-119H-27P 2.7 / 2.0 mm Drill Bit 2.0 mm
26M-120H-35P 3.5 / 2.5 mm Drill Bit 2.5 mm
26M-121H-45P 4.5 / 3.2 mm Drill Bit 3.2 mm

Drill
Small Pointed



26M-122H-35P
Drill Bit 3.5 mm

Drill
Pointed Guide




26M-123H-58P
6.5 mm

Drill Guide



26M-124H-08P
4.5 mm Screws
Drill Bit 4.5 mm
& 3.2 mm

Drill Guide



26M-125H-65P
6.5 mm Screws
Drill Bit 3.2 mm

Drill Sleeves

Drill Guide



26M-126H-02P
3.5 mm for neutral and compression Positioning Drill Bit 2.5 mm

C - Clamp




26M-127H-45P
Drill Guide with thread for Drill Bit 4.5 mm

Bone Holding Forceps/Reposition Forceps

Collin






20cm,8“
26M-128H-200P Straight
26M-129H-200P Curved on Edge
26M-130H-200P Doublt Bent



26M-131H-200P
20 cm, 8“

Dingmann



26M-132H-180P
18 cm, 7“

Ferguson



26M-133H-230P
23 cm, 9“


Bone Holding Forceps/Reposition Forceps

Collin




26M-134H-190P
19 cm, 7 1/2"
Lion Jaw

Collin




26M-135H-195P
19.5 cm, 8"
Toothed Jaw

Bardeleben



26M-136H-210P
21 cm, 8 1/2"


Ferguson



26M-137H-210P
21 cm, 8 1/2"

Bone Holding Forceps/Reposition Forceps

Self Centering
Bone Holding Forceps




26M-138H-150P
For small Fragments 15 cm, 6" Jaw 9mm
26M-139H-190P
19 cm, 7 1/2" Extra small jaw 10 mm
26M-140H-240P
24 cm, 9 1/2" small jaw 14 mm
26M-141H-260P
26cm, 10" medium jaw 18 mm
26M-142H-280P
28cm, 11" large jaw 23 mm

Ulrich



26M-143H-190P 19 cm, 7 1/2"
26M-144H-230P 23 cm, 9"
26M-145H-250P 25 cm, 10"
26M-146H-280P 28 cm, 11"

Semb



26M-147H-190P
19 cm, 7 1/2"

Jaws Set



26M-148H-000P
Set Includes:
Hooked Jaws: 1 pair
Serrated Jaws: 3 pairs
Sizes: 32, 51 and 57 mm

Bone Holding Forceps/Reposition Forceps

Charnley
Bone Forceps



26M-149H-000P

Lane



26M-150H-330P 23 cm, 9“
26M-151H-470P 33 cm, 13“

Lane



26M-152H-330P 23 cm, 9“
26M-153H-470P 33 cm, 13“

Kern



26M-154H-160P 16 cm, 6 1/2“ with ratchet
26M-155H-210P 21 cm, 8 1/2“ with ratchet
26M-156H-160P 16 cm, 6 1/2“ without ratchet
26M-157H-210P 21 cm, 8 1/2“ without ratchet

Bone Holding Forceps/Reposition Forceps

Farabeuf
Lambotte



26M-158H-230P 23 cm, 9“ with ratchet
26M-159H-260P 26 cm, 10 1/4“ with ratchet
26M-160H-230P 23 cm, 9“ without ratchet
26M-161H-260P 26 cm, 10 1/4“ without ratchet

Lambotte



26M-162H-265P
26.5 cm, 10 1/2“

Lambotte



26M-163H-220P 22 cm, 9
26M-164H-270P 27 cm, 10 1/2“
26M-165H-330P 33 cm, 13

Hey Groves



26M-166H-210P 21 cm, 8 1/2“
26M-167H-270P 27 cm, 10 1/2“
26M-168H-300P 30 cm, 12“

Bone Holding Forceps/Reposition Forceps

Ulrich




26M-169H-260P
26 cm, 10“

Lowmann
Bone Clamp




26M-170H-130P 18 cm, 7“
26M-171H-185P 20.0 cm, 8“
26M-172H-300P 22.0 cm, 8 3/4“

Gerster



26M-174H-180P 18 cm, 7“
26M-175H-200P 20 cm, 8“
26M-176H-220P 22 cm, 9“

Lewin



26M-177H-175P
17.5 cm, 7“


Bone Holding Forceps/Reposition Forceps

Ortho Forceps



26M-178H-130P
13 cm, 5“

Ortho Forceps




26M-179H-135P
13.5 cm, 5 1/2“
Angled Serrated

Verbrugge



26M-180H-180P
18 cm, 7“

Verbrugge



26M-181H-180P
18 cm, 7“


Bone Holding Forceps/Reposition Forceps

Verbrugge



26M-182H-250P 25 cm, 10“
26M-183H-260P 26 cm, 10 1/4“
26M-184H-270P 27 cm, 10 1/2“

Verbrugge



26M-185H-250P 25 cm, 10“
26M-186H-260P 26 cm, 10 1/4“
26M-187H-270P 27 cm, 10 1/2“

Verbrugge



26M-188H-180P
18 cm, 7“


Verbrugge



26M-189H-250P 25 cm, 10“
26M-190H-260P 26 cm, 10 1/4“
26M-191H-270P 27 cm, 10 1/2“

Bone Holding Forceps/Reposition Forceps

Reil



26M-192H-170P
17 cm, 7“

Reduction Forceps




26M-193H-200P
20 cm, 8“

Reduction Forceps



26M-194H-170P
17 cm, 7“
For fingers, with drill Guide for
Krischner Wires up to 1 mm


Holding Forceps



26M-195H-130P
13 cm, 5“

Bone Holding Forceps/Reposition Forceps

Ratchet Fixation Forceps



26M-196H-145P
14.5 cm, 6“

Malleolar Forceps



26M-197H-200P
20 cm, 8“

Patella Forceps




26M-198H-185P
18.5 cm, 7 1/4“

Reduction Forceps



26M-199H-160P 16 cm, 6 1/2“
26M-200H-240P 24 cm, 9 1/2“
With Thread lock


Reposition Forceps



26M-201H-230P
23 cm, 9“

Pelvic Reposition Forceps

Pelvic
Reposition Forceps




26M-202H-19P
19 cm, 7 1/2“

Pelvic
Reposition Forceps



26M-203H-23P
23 cm, 9“

Pelvic
Reposition Forceps



26M-204H-25P
250 cm, 10“


Pelvic
Reposition Forceps



26M-205H-25P
25 cm, 10“
3 Balls Spikes

Pelvic Reduction Forceps

Pelvic Reposition Forceps



26M-206H-400P
40 cm, 15 3/4“

Pelvic Reposition Forceps



26M-207H-400P
40 cm, 15 3/4“

Pelvic Reduction Forceps Asymmetric



26M-208H-250P
25 cm, 10“
with 3 ball spikes

Pelvic Reduction Forceps Asymmetric



26M-209H-250P
25 cm, 10“

Pelvic Reduction Forceps Asymmetric



26M-210H-400P
40 cm, 15 3/4“

Pelvic Instruments

Sharp Bone Hook



26M-211H-04P

Tap Handle



26M-212H-01P
for Jacob's Chuck

Pelvic
Reposition Forceps



19 cm, 7 1/2"
26M-213H-35P 3.5 mm for Screws
26M-214H-45P 4.5 mm for Screws

Amputation Saw

Gigle Saw



26M-215H-030P 30 mm
26M-216H-040P 40 mm
26M-217H-050P 50 mm
26M-218H-070P 70 mm
Staniless

Gigli Hanle



26M-219H-000P

Engel
Plaster Saw



26M-220H-155P
15.5 cm, 6“

Charriere



26M-221H-250P 25 cm, 10“
26M-222H-270P 27 cm, 10 3/4“
Double Saw

Amputation Saw

Charriere



26M-223H-270P 27 cm, 10 3/4“
26M-224H-300P 30 cm, 12“

Charriere



26M-225H-350P
35 cm, 13 3/4“

Satterlee



26M-226H-310P
31 cm, 12 1/4“

Percy
Retractor



26M-227H-000P

Mallets

Mallet



Plane (nylon)
convex steel
Plastic handle
Head 30 mm Ø
Weight 675 Gr.

1/3

26M-228H-265P
26 cm, 10 1/2"

Mallet



Plastic handle
Head 42/30 mm Ø
Weight 530 Gr.

1/3

26M-229H-260P
26 cm, 10 1/4"

Mallet



Plastic handle
Head 30 mm Ø
Weight 480 Gr.

1/3

26M-230H-240P
24 cm, 9 1/2"

Mallet



Plastic handle
Head 30 mm Ø
Weight 510 Gr.

1/3

26M-231H-260P
26 cm, 10 1/4"

Mallets

Mallet



Spare Facinge (pair)
Pi09-448-00
Plactic

Disks and Plastic handle
Head 37 mm Ø
Weight 370 Gr.
1/3

26M-232H-240P
22.5 cm, 9“

Mallet



Made of plastic
Head 30 mm Ø
Weight 125 Gr.
1/3

26M-233H-220P
18 cm, 7“

Mallet



made of plastic
with lead filling
Head 42 mm Ø
Weight 400 Gr.
Head 42 mm Ø
Weight 250 Gr.
1/3

26M-234H-260P
26 cm, 10 1/4“

Mallet




made of Plastic
with lead filling
Head 42 mm Ø
Weight 250 Gr.
1/3

26M-235H-260P
26 cm, 10 1/4“

Mallets

Williger



26M-237H-155P
Head 26 mm Ø
Weight 300 Gr.
26M-238H-155P
Head 28 mm Ø
Weight 340 Gr.
26M-239H-155P
Head 30 mm Ø
Weight 400 Gr.

26M-236H-155P
24 cm, 9 1/2"


Doyen



26M-241H-205P
Head 25 mm Ø
Weight 120 Gr.
26M-242H-205P
Head 30 mm Ø
Weight 180 Gr.
26M-243H-205P
Head 35 mm Ø
Weight 260 Gr.

26M-240H-205P
21 cm, 8 1/4"

Lucae



26M-245H-195P
Head 19 mm Ø
Weight 230 Gr.
26M-246H-195P
Head 25 mm Ø
Weight 260 Gr.

26M-244H-195P
19cm, 7 1/2"

Williger



26M-247H-165P
16.5 cm, 6 1/2"
Head 20 mm Ø
Weight 140 Gr.

Mallets

Partsch



1/2

Head 22 mm ∅
Weight 200 Gr.

26M-248H-190P
18 cm, 7"

Mead



Spare Facings
26M-251H-190P

26M-250H-205P
with Interchangeable Plastic dicks
Head 26 mm ∅
Weight 320 Gr.

26M-249H-190P
17 cm, 6 3/4"

Herbert



1/2

for ulnar head prosthesis
Plastic handle
Head 25 mm ∅
Weight 300 Gr.

26M-252H-190P
19 cm, 7 1/2"

Vickers




1/3

nylon disks
Plastic handle
Head 25 mm ∅
Weight 300 Gr.

26M-253H-265P
19 cm, 7 3/4"

Mallets

Ortho / With Plastic Caps



Pair of spare disks with interchangeable plasticdisks

26M-254H-180P
18 cm, 7“
25 mm dia.
(140g)

Ortho



1/2

26M-255H-265P
26.5 cm, 10 1/2“
(450g)

Orthopaedic
Mallet



1/2

26M-256H-190P
19 cm, 7 1/2“

Hajek



1/3

26M-257H-223P
22 cm, 8 3/4“
27 mm Dia.
(140g)

Mallets

Ortho



26M-258H-265P
26 .5 cm
(450g)

Bergmann



26M-259H-240P
24 cm, 9 1/2“
(300g)

Gerzog



26M-260H-180P
18 cm, 7“
(240g)

Ombredanne



26M-261H-240P
24 cm, 9 1/2“
40 mm dia (550g)

Mallets

Cottle



26M-262H-190P
19 cm, 7 1/2"
(240g)

Collin



26M-263H-200P
20 cm, 8"
30 mm dia
220 g

Bone Curetts

Bruns



26M-264H-170P
17 cm, 7“
000

26M-265H-170P
17 cm, 7“
00

26M-266H-170P
17 cm, 7“
0

26M-267H-170P
17 cm, 7“
1

26M-268H-170P
17 cm, 7“
2

26M-269H-170P
17 cm, 7“
3

26M-270H-170P
17 cm, 7“
4

26M-271H-170P
17 cm, 7“
5

26M-272H-170P
17 cm, 7“
6

Hibbs-Sprratt
Angled



26M-273H-225P
22.5 cm, 9“
000

26M-274H-225P
22.5 cm, 9“
00

26M-275H-225P
22.5 cm, 9“
0

26M-276H-225P
22.5 cm, 9“
1

26M-277H-225P
22.5 cm, 9“
2

26M-278H-225P
22.5 cm, 9“
3

26M-279H-225P
22.5 cm, 9“
4

26M-280H-225P
22.5 cm, 9“
5

26M-281H-225P
22.5 cm, 9“
6

Hibbs-Sprratt
Straight



26M-282H-225P
22.5 cm, 9“
000

26M-283H-225P
22.5 cm, 9“
00

26M-284H-225P
22.5 cm, 9“
0

26M-285H-225P
22.5 cm, 9“
1

26M-286H-225P
22.5 cm, 9“
2

26M-287H-225P
22.5 cm, 9“
3

26M-288H-225P
22.5 cm, 9“
4

26M-289H-225P
22.5 cm, 9“
5

26M-290H-225P
22.5 cm, 9“
6

Williger




26M-291H-133P
13.25 cm, 5 1/2“
Double Ended
00/0

Bone Curetts

Spratt
Hollow Handle





26M-292H-170P
17 cm, 7"
00000

26M-293H-170P
17 cm, 7"
0000

26M-294H-170P
17 cm, 7"
000

26M-295H-170P
17 cm, 7"
00

26M-296H-170P
17 cm, 7"
0

26M-297H-170P
17 cm, 7"
1

26M-298H-170P
17 cm, 7"
2

26M-299H-170P
17 cm, 7"
3


26M-300H-170P
17 cm, 7"
4

1/1

26M-301H-170P
17 cm, 7"
5

Volkmann





26M-302H-170P
17 cm, 7"
0000

26M-303H-170P
17 cm, 7"
000

26M-304H-170P
17 cm, 7"
00

26M-305H-170P
17 cm, 7"
0

26M-306H-170P
17 cm, 7"
1

26M-307H-170P
17 cm, 7"
2

26M-308H-170P
17 cm, 7"
3

26M-309H-170P
17 cm, 7"
4

26M-310H-170P
17 cm, 7"
5

1/1

26M-311H-170P
17 cm, 7"
6

Volkmann





26M-312H-130P
13 cm, 5"
Double Ended
6.2 mm & 6.7 mm

26M-313H-160P
16 cm, 6 1/2"
Double Ended
7 mm & 9 mm

1/1

26M-314H-200P
20 cm, 8"
Double Ended
9.1 mm & 11.1 mm





3.6 mm
26M-315H-36P

4.4 mm
26M-316H-44P


5.2 mm
26M-317H-52P

6.0 mm
26M-318H-60P

26M-315H-36P to
26M-318H-60P
25 cm. 10"

Bone Curetts

Uffenorde



Left
26M-319H-175P
17.5 cm, 7“

Right
26M-320H-175P
17.5 cm, 7“

Simon






Fig. 1
26M-321H-01P

Fig. 2
26M-322H-02P

Fig. 3
26M-323H-03P

Fig. 4
26M-324H-04P

Fig. 5
26M-325H-05P

Fig. 6
26M-326H-06P

24 cm, 9 1/2“

Bruns






Fig. 1
26M-327H-01P

Fig. 2
26M-328H-02P

Fig. 3
26M-329H-03P

Fig. 4
26M-330H-04P

Fig. 5
26M-331H-05P

Fig. 6
26M-332H-06P


Fig. 7
26M-333H-07P

Fig. 8
26M-334H-08P

Fig. 9
26M-335H-09P

23 mm, 9“

Lucas



1/1

Fig. 1 R/L
26M-337H-180P

Fig. 2 R/L
26M-338H-180P

Fig. 3 R/L
26M-339H-180P

Fig. 4 R/L
26M-340H-180P



26M-310H-170P
Double Ended
18 cm, 7“

Bone Curetts, Double Ended

Williger



26M-341H-01P

26M-342H-02P

26M-343H-03P

13.5 cm, 5 1/4"

Martini




26M-344H-01P

26M-345H-02P

26M-346H-03P

13.5 cm, 5 1/4"


Jansen



26M-347H-16P
16cm, 6 1/4"

26M-348H-16P
15cm, 6"

Volkmann



26M-350H-130P
13cm, 5 1/4"

26M-351H-140P
14 cm, 5 1/4"

26M-352H-170P
17 cm, 6 3/4"

26M-353H-130P
13cm, 5 1/4"

26M-354H-160P
16 cm, 6 1/4"

26M-355H-200P
20 cm, 8"

Bone Curetts

Spratt



Fig. 0000
26M-356H-40P

Fig. 000
26M-357H-30P

Fig. 00
26M-358H-20P

Fig. 0
26M-359H-10P

Fig. 1
26M-360H-01P

Fig. 2
26M-361H-02P

Fig. 3
26M-362H-03P

Fig. 4
26M-363H-04P

Fig. 5
26M-364H-05P

Bruns



Fig. 0000
26M-365H-40P

Fig. 000
26M-366H-30P

Fig. 00
26M-367H-20P

Fig. 0
26M-368H-10P

Fig. 1
26M-369H-01P

Fig. 2
26M-370H-02P


Fig. 3
26M-371H-03P

Fig. 4
26M-372H-04P

Fig. 5
26M-373H-05P

Fig. 6
26M-374H-06P

Scoville



26M-375H-000P
Straight

26M-376H-03P
Down Angle

26M-377H-04P
Up Angle

25 cm, 10“

Fiber Handle



Fig. 0
26M-378H-10P

Fig. 1
26M-379H-01P

Fig. 2
26M-380H-02P

Fig. 3
26M-381H-03P

27 cm, 10 3/4“

Bone Curetts

Bruns



27 cm, 10 3/4" straight

26M-382H-40P	Fig. 0000
26M-383H-30P	Fig. 000
26M-384H-20P	Fig. 00
26M-385H-10P	Fig. 0
26M-386H-01P	Fig. 1
26M-387H-02P	Fig. 2
26M-388H-03P	Fig. 3
26M-389H-04P	Fig. 4
26M-390H-05P	Fig. 5
26M-391H-06P	Fig. 6


Bruns



27 cm, 10 3/4" angled

26M-392H-40P	Fig. 0000
26M-393H-30P	Fig. 000
26M-394H-20P	Fig. 00
26M-395H-10P	Fig. 0
26M-396H-01P	Fig. 1
26M-397H-02P	Fig. 2
26M-398H-03P	Fig. 3
26M-399H-04P	Fig. 4
26M-400H-05P	Fig. 5
26M-401H-06P	Fig. 6

Scoville




26M-402H-000P
4 mm x 10 mm
straight

26M-403H-004P
4 mm x 10 mm
up angle

26M-404H-003P
4 mm x 10 mm
down angle

25 cm, 10"
Ruptured Disc Curette

Cushing



26M-405H-05P
5 mm

26M-406H-07P
7 mm

26M-407H-09P
9 mm

26M-408H-10P
10 mm

26M-409H-10P
12 mm

23.5 cm, 9 1/4"
Pituitary Spoon,
malleable, silver-plated

Bone Curetts

Simon



Fig. 1
26M-410H-01P

Fig. 2
26M-412H-02P

Fig. 3
26M-414H-03P

Fig. 4
26M-411H-04P

Fig. 5
26M-413H-05P

Fig. 6
26M-415H-06P

24 cm, 9 1/2"

Pituitary Curette



Ray. 190 mm
Pituitary Curette



45°
26M-416H-03P Ø 3 mm
26M-417H-04P Ø 4 mm
26M-418H-05P Ø 5 mm



90°
26M-419H-03P Ø 3 mm
26M-420H-04P Ø 4 mm
26M-421H-05P Ø 5 mm




45° offset
26M-422H-03P Ø 3 mm
26M-423H-04P Ø 4 mm
26M-424H-05P Ø 5 mm



90° offset
26M-425H-03P Ø 3 mm
26M-426H-04P Ø 4 mm
26M-427H-05P Ø 5 mm

Tay-Bronson





26M-428H-04P Ø 4 mm
Straight

30°
26M-429H-03P Ø 3 mm
26M-430H-04P Ø 4 mm
26M-431H-05P Ø 5 mm



45°
26M-432H-03P Ø 3 mm
26M-433H-04P Ø 4 mm
26M-434H-05P Ø 5 mm

22 cm, 8 3/4"
Pituitary Curette, double-edged

Impactors / Tamps

Lumbar, Cervical
Impactors & Drivers





01
26M-435H-01P
6 mm x 12 mm



02
26M-436H-02P
7 mm x 16 mm



03
26M-437H-03P
6 mm x 13 mm



04
26M-438H-04P
4 mm x 10 mm



05
26M-439H-05P
4 mm x 10 mm



06
26M-440H-06P
10 mm x 13 mm



07
26M-441H-07P
7 mm x 13 mm



08
26M-442H-08P
10 mm x 13 mm



09
26M-443H-09P
7 mm x 13 mm

serrated tips

26M-435H-01P	Impactor, standard offset,	21.5 cm, 8 1/4"
26M-436H-02P	Impactor, central canal,	21.5 cm, 8 1/4"
26M-437H-03P	Impactor, lateral narrow,	21.5 cm, 8 1/4"
26M-438H-04P	Impactor, micro offset,	18.0 cm, 7"
26M-439H-05P	Impactor, micro lateral,	18.0 cm, 7"
26M-440H-06P	Graft Driver, lumbar, guarded,	21.5 cm, 8 1/4"
26M-441H-07P	Graft Driver, anterior, guarded,	21.5 cm, 8 1/4"
26M-442H-08P	Graft Driver, lumbar, unguarded,	21.5 cm, 8 1/4"
26M-443H-09P	Graft Driver, anterior, unguarded,	21.5 cm, 8 1/4"

Bone Tamp
Endoscopic



26M-444H-10P
43 cm, 17"
10 mm diameter

Chisels / Osteotomes

Hibbs Chisel / Osteotomes



Hibbs Chisel

22.5 cm, 9" straight		22.5 cm, 9" curved	
26M-445H-06P	6 mm	**26M-455H-06P**	6 mm
26M-446H-09P	9 mm	**26M-456H-09P**	9 mm
26M-447H-12P	12 mm	**26M-457H-12P**	12 mm
26M-448H-15P	15 mm	**26M-458H-15P**	15 mm
26M-449H-18P	18 mm	**26M-460H-18P**	18 mm
26M-450H-20P	20 mm	**26M-461H-20P**	20 mm
26M-451H-25P	25 mm	**26M-462H-25P**	25 mm
26M-452H-30P	30 mm	**26M-463H-30P**	30 mm
26M-453H-35P	35 mm	**26M-464H-35P**	35 mm
26M-454H-40P	40 mm	**26M-465H-40P**	40 mm

Osteotomes

22.5 cm, 9" straight		22.5 cm, 9" curved	
26M-466H-06P	6 mm	**26M-476H-06P**	6 mm
26M-467H-09P	9 mm	**26M-477H-09P**	9 mm
26M-468H-12P	12 mm	**26M-478H-12P**	12 mm
26M-469H-15P	15 mm	**26M-479H-15P**	15 mm
26M-470H-18P	18 mm	**26M-480H-18P**	18 mm
26M-471H-20P	20 mm	**26M-481H-20P**	20 mm
26M-472H-25P	25 mm	**26M-482H-25P**	25 mm
26M-473H-30P	30 mm	**26M-483H-30P**	30 mm
26M-474H-35P	35 mm	**26M-484H-35P**	35 mm
26M-475H-40P	40 mm	**26M-485H-40P**	40 mm

Cobb Chisel / Osteotomes



Cobb Chisel

27.5 cm, 10 3/4" straight		27.5 cm, 10 3/4", curved	
26M-486H-06P	6 mm	**26M-493H-06P**	6 mm
26M-487H-09P	9 mm	**26M-494H-09P**	9 mm
26M-488H-12P	12 mm	**26M-495H-12P**	12 mm
26M-489H-15P	15 mm	**26M-496H-15P**	15 mm
26M-490H-18P	18 mm	**26M-497H-18P**	18 mm
26M-491H-25P	25 mm	**26M-498H-25P**	25 mm
26M-492H-35P	35 mm	**26M-499H-35P**	35 mm

Osteotomes

275 mm straight		275 mm curved	
26M-500H-06P	6 mm	**26M-507H-06P**	6 mm
26M-501H-09P	9 mm	**26M-508H-09P**	9 mm
26M-502H-12P	12 mm	**26M-509H-12P**	12 mm
26M-503H-15P	15 mm	**26M-510H-15P**	15 mm
26M-504H-18P	18 mm	**26M-511H-18P**	18 mm
26M-505H-25P	25 mm	**26M-512H-25P**	25 mm
26M-506H-35P	35 mm	**26M-513H-35P**	35 mm

Hibbs Chisel / Osteotomes
Endoscopic



26M-514H-10P
46 cm, 18"
10 mm tip width straight

26M-515H-10P
46 cm, 18"
10 mm tip width straight

Elevators

Harrington
Spinal Elevator




26M-516H-19P
30 cm, 12"
Sharp 19 mm tip
width

RIB
Elevator



42.5 cm, 16 3/4" endoscopic,
Sharp with fiber handle
9 mm radius tip
26M-517H-45P angled 45°
26M-518H-90P angled 90°

Cobb Spinal



26M-519H-01P
50 cm, 19 1/2" sharp
13 mm tip width

26M-520H-02P
50 cm, 19 1/2" sharp
6 mm tip width

26M-521H-03P
50 cm, 19 1/2" sharp
10 mm tip width

26M-522H-04P
50 cm, 19 1/2" sharp
6 mm tip width

Elevator endoscopic
with fiber handle
graduated tips

Elevators

Rhoton Micro





26M-523H-01P
26M-524H-02P
26M-525H-03P



26M-526H-04P



26M-527H-05P



26M-528H-06P
26M-529H-07P
26M-530H-08P



26M-531H-09P



26M-532H-10P



26M-533H-11P



26M-534H-12P



26M-535H-13P
26M-536H-14P



26M-537H-15P



26M-538H-16P
26M-539H-17P



26M-540H-18P
26M-541H-19P

Dissection Instruments 19 cm, 7 1/2"

26M-523H-01P Round Dissector 1 mm, angled
26M-524H-02P Round Dissector 2 mm, angled
26M-525H-03P Round Dissector 3 mm, angled
26M-526H-04P Elevator, curved
26M-527H-05P Elevator, angled
26M-528H-06P Spatula Dissector # 6 small, angled
26M-529H-07P Spatula Dissector # 7 medium, angled
26M-530H-08P Spatula Dissector # 8 large, angled
26M-531H-09P Hook, 90 angle, sharp
26M-532H-10P Hook, 90 angle, blunt
26M-533H-11P Hook, 45 angle, sharp
26M-534H-12P Needle, straight, sharp
26M-535H-13P Micro curette, straight, 1 mm x 2 mm
26M-536H-14P Micro curette, angled, 1 mm x 2 mm
26M-537H-15P Ball-tipped Dissector, 0.8 mm
26M-538H-16P Ball-tipped Dissector, 90 angle, 3 mm
26M-539H-17P Ball-tipped Dissector, 90 angle, 5 mm
26M-540H-18P Ball-tipped Dissector, 40 angle, 4 mm
26M-541H-19P Ball-tipped Dissector, 40 angle, 8 mm


Elevators

Smithwick Hook
& Dissector



26M-542H-300P
30 cm, 12" double ended
5 mm semi-sharp end
and 1 x 10 mm blunt hook

Nerve Probe
Endoscopic




26M-543H-45P
angled 45°

26M-544H-90P
angled 90°

38 cm, 15"
with ball end 80 mm tip &
shaft length 29 cm, 11 1/2"
handle length 7.1 mm
shaft diameter

Penfield Elevator
Endoscopic



26M-545H-380P
38 cm, 15"
blunt, 4 mm tip width
88 mm tip and shaft length,
graduated 29 cm, 11 1/2" handle
length 7.1 mm shaft diameter


Elevators

Sachs Nerve



26M-546H-185P
18.5 cm, 7 1/4"
3 mm blunt

Kleinert Kutz
Elevator and Dissector



26M-547H-195P
19.5 cm, 7 3/4"
2 mm x 3 mm Sharp ends

Freer
Elevator



26M-548H-185P
18.5 cm, 7 1/4"
double ended
5 mm sharp end
5 mm blunt end

Woodson
Elevator/Spatula



26M-548H-185P
22.5 cm, 9"
double ended
3 mm semi-blunt ends

Woodson Dural
Separator/Packer



26M-550H-175P
17.5 cm, 7"
double ended with
grooved blade
3 mm blunt end




26M-551H-175P
style # 1
17.5 cm, 7"
double ended

Elevators

Penfield
Elevators



Style # 2
26M-552H-185P
18.5 cm, 7 1/4"
double ended



Style # 3
26M-553H-280P
28 cm, 11"
double ended



Style # 4
26M-554H-280P
28 cm, 11"
single ended




Style # 5
26M-555H-185P
18.5 cm, 7 1/4"
double ended

Reamer, Elevators, Bone Files and Alveotomy files



26M-556H-140P
14 cm, 5 1/2"



26M-557H-140P
14 cm, 5 1/2"

Perthes



26M-558H-160P 16 cm, 6 1/2"
26M-559H-220P 27 cm, 8 1/2"


Bone Hook



26M-560H-230P
23 cm, 9"
3 cm Dia.

Reamer, Elevators, Bone Files and Alveotomy files

Putti



26M-561H-280P
27 cm 1/2"

26M-562H-300P
30 cm, 12"

Bone Tamps



Tip Size
2 mm
3 mm
4 mm
5 mm
6 mm
8 mm
10 mm

26M-563H-154P
15.4 cm, 6"


Bone Tamps



Tip Size
2 mm
3 mm
4 mm
5 mm
6 mm
8 mm
10 mm


26M-563H-154P
15.4 cm, 6"

Miller-Colburn
Bone File



26M-565H-180P
18 cm, 7"

Miller
Alveotomy File



26M-570H-190P
19 cm, 7 1/2"

26M-571H-190P
19 cm, 7 1/2"

Gauges

Cobb



24 cm, 9 1/4"



26M-572H-01P
Straight



26M-573H-02P
Slightly Curved



26M-574H-03
Strongly Curved



26M-575H-04P
Curved down

Cobb



24 cm, 9 1/4"



26M-576H-05P
Straight



26M-577H-06P
Slightly Curved



26M-578H-07
Strongly Curved



26M-579H-08P
Curved down

Hibbs Gougs
Endoscopic



26M-580H-460P
46cm, 18"
7 mm tip width
straight, graduated

Osteotomes, Gauges & Chisels

Lexer
Osteotome / Gauge



Osteotome 22 cm, 8 3/4“
26M-581H-07P 07 mm
26M-582H-10P 10 mm
26M-583H-12P 12 mm
26M-584H-15P 15 mm
26M-585H-20P 20 mm
26M-586H-25P 25 mm
26M-587H-30P 30 mm

modif. Osteotome 29 cm, 11 1/2“
26M-588H-07P 07 mm
26M-589H-10P 10 mm
26M-590H-12P 12 mm
26M-591H-15P 15 mm
26M-592H-20P 20 mm
26M-593H-25P 25 mm
26M-594H-30P 30 mm



modif. Gouge 29 cm, 11 1/2“
26M-595H-07P 07 mm
26M-596H-10P 10 mm
26M-597H-12P 12 mm
26M-598H-15P 15 mm
26M-599H-20P 20 mm
26M-600H-25P 25 mm
26M-601H-30P 30 mm

Gouge 22 cm, 8 3/4“
26M-602H-07P 07 mm
26M-603H-10P 10 mm
26M-604H-12P 12 mm
26M-605H-15P 15 mm
26M-606H-20P 20 mm
26M-607H-25P 25 mm
26M-608H-30P 30 mm

Lexer



25 mm, 10“
26M-609H-07P 7 mm
26M-610H-10P 10 mm
26M-611H-15P 15 mm
Straight



25 mm, 10“
26M-612H-07P 7 mm
26M-613H-10P 10 mm
26M-614H-15P 15 mm
Curved

Flat



26M-615H-10P 10 mm
26M-616H-15P 15 mm
26M-617H-20P 20 mm
26M-618H-25P 25 mm

Hollow



26M-619H-10P 10 mm
26M-620H-15P 15 mm
26M-621H-20P 20 mm
26M-622H-25P 25 mm

Mini Lexer



26M-623H-180P
18 cm, 7“



26M-624H-180P
18 cm, 7“
Hollow

Osteotomes & Gauges

Smith Peterson



Straight
26M-625H-200P 09 mm
26M-626H-200P 14 mm
26M-627H-200P 19 mm
26M-628H-200P 25 mm
Curved
26M-629H-200P 09 mm
26M-630H-200P 14 mm
26M-631H-200P 19 mm
26M-632H-200P 25 mm

20 cm, 8“



Straight
26M-633H-200P 06 mm
26M-634H-200P 09 mm
26M-635H-200P 13 mm
26M-636H-200P 16 mm
26M-637H-200P 19 mm
26M-638H-200P 25 mm
26M-639H-200P 32 mm

Curved
26M-640H-200P 06 mm
26M-641H-200P 09 mm
26M-642H-200P 13 mm
26M-643H-200P 16 mm
26M-644H-200P 19 mm
26M-645H-200P 25 mm
26M-646H-200P 32 mm

20 cm, 8“

Stille
Chisele/Osteotomes



Straight
26M-647H-200P 10 mm
26M-648H-200P 15 mm
26M-649H-200P 20 mm
26M-650H-200P 25 mm
Curved
26M-651H-200P 10 mm
26M-652H-200P 15 mm
26M-653H-200P 20 mm
26M-654H-200P 25 mm


20 cm, 8“



Chisels
26M-655H-200P 10 mm
26M-656H-200P 12 mm
26M-657H-200P 15 mm
26M-658H-200P 20 mm
26M-659H-200P 25 mm
Osteotome
26M-660H-200P 10 mm
26M-661H-200P 15 mm
26M-662H-200P 20 mm
26M-663H-200P 25 mm
26M-664H-200P 25 mm

20 cm, 8“

Stille



26M-665H-10P - 26M-668H-25P
20 cm, 8“


26M-669H-10P - 26M-672H-25P
20 cm, 8“

Chisel Handle





26M-674H-005P	Chisel Blade 0.5 cm
26M-675H-010P	Chisel Blade 1.0 cm
26M-676H-016P	Chisel Blade 1.6 cm
26M-677H-025P	Chisel Blade 2.5 cm
26M-678H-005P	Osteotome Blade 0.5 cm
26M-679H-010P	Osteotome Blade 1.0 cm
26M-680H-016P	Osteotome Blade 1.6 cm
26M-681H-025P	Osteotome Blade 2.5 cm



26M-682H-000P
Wrench for Chisel Handle

26M-673H-000P

Osteotomes

Mini
Lambotte



26M-683H-125P
3 mm

26M-684H-125P
4 mm

26M-685H-125P
6 mm

26M-686H-125P
8 mm

26M-687H-125P
10 mm

26M-688H-125P
12 mm

26M-689H-125P
15 mm

12.5 cm, 5“



26M-690H-170P
3 mm

26M-691H-170P
4 mm

26M-692H-170P
6 mm

26M-693H-170P
8 mm


26M-694H-170P
10 mm

26M-695H-170P
12 mm

26M-696H-170P
15 mm

17 cm, 6 3/4“

Lambotte



26M-697H-240P
15 mm

26M-698H-240P
20 mm

26M-699H-240P
25 mm

26M-700H-240P
30 mm

26M-701H-240P
38 mm

26M-702H-240P
44 mm

26M-703H-240P
50 mm

24 cm, 9 1/2“



26M-704H-230P 15 mm
26M-705H-230P 20 mm
26M-706H-230P 25 mm
26M-707H-230P 30 mm
26M-708H-230P 38 mm
26M-709H-230P 44 mm
26M-710H-230P 50 mm

23 cm, 9“

Gauges

Partsch



2 mm
26M-711H-02P
135mm

2 mm
26M-712H-02P
170mm

3 mm
26M-713H-03P
135mm

3 mm
26M-714H-03P
170mm

4 mm
26M-715H-04P
135mm

4 mm
26M-716H-04P
170mm

5 mm
26M-717H-05P
135mm

5 mm
26M-718H-05P
170mm

6 mm
26M-719H-06P
135mm

6 mm
26M-720H-06P
170mm

Alexander



4 mm
26M-721H-04P

10 mm
26M-722H-10P

6 mm
26M-723H-06P

12 mm
26M-724H-12P

8 mm
26M-725H-08P

14 mm
26M-726H-14P

Smith Peterson



26M-727H-06P Straight 6 mm
26M-728H-09P Straight 9 mm
26M-729H-12P Straight 12 mm
26M-730H-15P Straight 15 mm
26M-731H-20P Straight 20 mm
26M-732H-25P Straight 25 mm
26M-733H-30P Straight 30 mm

26M-734H-06P Curved 6 mm
26M-735H-09P Curved 9 mm
26M-736H-12P Curved 12 mm
26M-737H-15P Curved 15 mm
26M-738H-20P Curved 20 mm
26M-739H-25P Curved 25 mm
26M-740H-30P Curved 30 mm

Stille



26M-741H-10P Straight 10 mm
26M-742H-12P Straight 12 mm
26M-743H-15P Straight 15 mm
26M-744H-20P Straight 20 mm
26M-745H-25P Straight 25 mm

26M-746H-10P Curved 10 mm
26M-747H-12P Curved 12 mm
26M-748H-15P Curved 15 mm
26M-749H-20P Curved 20 mm
26M-750H-25P Curved 25 mm

Gauges

Straight Gauge



26M-751H-05P 5mm
26M-752H-10P 10mm
26M-753H-15P 15mm

Curved Gauge



26M-754H-05P 5mm
26M-755H-10P 10mm
26M-756H-15P 15mm

Osteotomes, Gauges

Smith Peterson
Osteotome, Straight



	20 cm, 8“
26M-757H-06P	6 mm
26M-758H-09P	9 mm
26M-759H-12P	12 mm
26M-760H-15P	15 mm
26M-761H-20P	20 mm
26M-762H-25P	25 mm
26M-763H-30P	30 mm

Smith Peterson
Osteotome, Curved



	20 cm, 8“
26M-764H-06P	6 mm
26M-765H-09P	9 mm
26M-766H-12P	12 mm
26M-767H-15P	15 mm
26M-768H-20P	20 mm
26M-769H-25P	25 mm
26M-770H-30P	30 mm

Smith Peterson
Gauge, Straight



	20 cm, 8“
26M-771H-06P	6 mm
26M-772H-09P	9 mm
26M-773H-12P	12 mm
26M-774H-15P	15 mm
26M-775H-20P	20 mm
26M-776H-25P	25 mm
26M-777H-30P	30 mm

Smith Peterson
Gauge, Curved



	20 cm, 8“
26M-778H-06P	6 mm
26M-779H-09P	9 mm
26M-780H-12P	12 mm
26M-781H-15P	15 mm
26M-782H-20P	20 mm
26M-783H-25P	25 mm
26M-784H-30P	30 mm


Lambotte
Osteotome, Straight



	24 cm, 9 1/2“
26M-785H-06P	6 mm
26M-786H-09P	9 mm
26M-787H-12P	12 mm
26M-788H-15P	15 mm
26M-789H-20P	20 mm
26M-790H-25P	25 mm
26M-791H-30P	30 mm

Elevators

Cobb Spinal
Elevator



26M-792H-12P
12 mm

26M-793H-19P
19 mm

26M-794H-25P
25 mm

26M-795H-32P
32 mm


23.8 cm, 9 1/2" sharp
with hexagonal handle

Harrington Spinal
Elevator



26M-796H-19P
30 cm, 12", Sharp
19 mm tip width

Cobb Modif



7 mm

9 mm

11 mm

26M-797H-07P	7 mm
26M-798H-09P	9 mm
26M-799H-11P	11 mm
28 cm, 11"	Round Handle

Cobb Modif



4 mm


6 mm

8 mm

26M-800H-04P	4 mm
26M-801H-06P	6 mm
26M-802H-08P	8 mm
28 cm, 11"	Round Handle

Elevators

Hoen



26M-803H-07P
16 cm, 6 1/4"

26M-804H-15P
19 cm, 7 1/2"

26M-805H-20P
20 cm, 8"

Sebileau



26M-806H-175P
17.5 cm, 7"

Periosteal Elevators

Periosteal Elevator



1/2

26M-807H-182P
18.2 cm, 7"
Fiber/Phenolic
Handle blade 6mm

Chandler Bone Elevator



1/1

26M-808H-190P
19 cm, 7 1/2" 13 mm
26M-809H-200P
20 cm, 8" 20 mm
26M-810H-230P
23 cm, 9" 25 mm
26M-811H-250P
25 cm, 10" 31 mm

Hoen Periosteal Elevator



1/2

26M-812H-165P
16.5 cm, 6 1/2"

Key Periosteal Elevator



1/2

Fig.	Item	Description	Inch.	Width
A	26M-814H-190P	19 cm	7 1/2"	3 mm
A	26M-815H-190P	19 cm	7 1/2"	6 mm
A	26M-816H-190P	19 cm	7 1/2"	9 mm
A	26M-817H-190P	19 cm	7 1/2"	12 mm
A	26M-818H-190P	19 cm	7 1/2"	15 mm
A	26M-819H-190P	19 cm	7 1/2"	19 mm
A	26M-820H-190P	19 cm	7 1/2"	25 mm

26M-813H-180P Key (Fig. A)
18 cm, 7 1/2"


Periosteal Elevators

Cobb
Elevators



26M-821H-234P
23.4 cm, 9“
Hex Handle


Periosteal
Elevator



26M-823H-170P **26M-824H-170P**


26M-822H-170P
17 cm, 7“

Doyen
RIB Raspatory



26M-825H-170P
17 cm, 7“

Adson
Elevator



26M-831H-170P
17 cm, 7“

26M-832H-170P
17 cm, 7“

26M-833H-170P
17 cm, 7“

26M-834H-170P
17 cm, 7“

26M-830H-170P
17 cm, 7“

Periosteal Elevators

ST. Thomas



26M-835H-160P
16 cm, 6 1/2"
Pointed

ST. Thomas



26M-836H-160P
16 cm, 6 1/2"
Rounded

Robinson's



26M-837H-170P
17 cm, 7"

Williger



26M-838H-130P
13 cm, 5"

Williger



26M-839H-160P
16 cm, 6 1/2"

Lane



26M-840H-160P
16 cm, 6 1/2"
Serrated

Periosteal Elevators

Lane



1/2

26M-841H-270P
27 cm, 10 1/2"

Trethowan's



1/2

26M-842H-220P
22 cm, 9"

Bristow's



1/3

26M-843H-240P
24 cm, 9 1/2"

Sedillot



1/3

26M-844H-210P
21 cm, 8 1/4"

Key



26M-845H-06P 6 mm
26M-846H-12P 12 mm
26M-847H-20P 20mm
26M-848H-25P 25 mm
190 cm, 7 1/2" sharp, slightly curved

Pennybacker



26M-849H-06P
17cm, 6 3/4"
sharp, curved

Periosteal Elevators

Langenbeck



26M-850H-15P 15 mm
19 cm, 7 1/2“
sharp, slightly curved

Cushing



15 mm
26M-851H-01P round edge
26M-852H-02P Square edge
18cm, 7“

Adson




26M-853H-170P
17 cm, 6 3/4“

Hoen



26M-854H-07P 7 mm
16 cm, 6 1/4“
26M-855H-15P 15 mm
19 cm, 6 1/4“
26M-856H-20P 20 mm
19 cm, 6 1/4“ semisharp

Langenbeck



7 mm

10 mm

26M-857H-07P 7 mm
26M-858H-10P 10 mm
20 cm, 8“ blunt

Cushing



19 cm,, 7 1/2“
26M-859H-19P Left
26M-860H-19P Right

Periosteal Elevators



26M-861H-06P
6 mm, 185 mm
sharp, curved

26M-862H-13P
13 mm, 200 mm
sharp, curved



26M-863H-200P
20 mm, 8“
Medium straight
blade round edge,
width 14 mm

26M-864H-200P
20 mm, 8“
Medium straight
blade round edge,
width 14 mm



26M-865H-180P
18 mm, 7“
small curved
blade round edge,
width 6 mm

26M-866H-180P
18 mm, 7“
small curved
blade round edge,
width 6 mm

26M-867H-180P
18 mm, 7“
Extra small
curved blade round
edge, width 3 mm



26M-868H-200P
20 cm, 8“
large straight blade
round edge
width 20 mm



Medium Blade
Staright Edge, 14 mm
26M-869H-185P
Straight 18.5 cm, 7 1/2“
26M-870H-185P
Curved 18.5 cm, 7 1/2“

Langenbeck



26M-871H-180P
18 cm, 7“

26M-872H-190P
19 cm, 7 1/2“

Periosteal Elevators

Lambotte



1/2

	21 cm, 8 1/2"
26M-873H-210P	1.0 cm
26M-874H-210P	1.5 cm
26M-875H-210P	2.0 cm

Farabeuf



1/2

26M-876H-150P
15 cm, 6"



1/2

26M-877H-150P
15 cm, 6"



1/2

26M-878H-160P	5 mm
26M-879H-160P	6 mm
26M-880H-160P	7 mm

16 cm, 6 1/2"

Elevators

Carroll
Periosteal Elevator



26M-881H-140P
14 cm, 5 1/2" sharp, double ended
3 mm round end, 10 mm flat end

Adson
Periosteal



17 cm, 6 3/4"
26M-882H-01P Sharp 7 mm straight
26M-883H-02P blunt 7 mm curved
26M-884H-03P semi-sharp 7 mm straight
26M-885H-04P semi-sharp 7 mm curved

Cushing
Periosteal Elevator



26M-886H-185P 18.5 cm, 7 1/4",
15 mm sharp, straight
26M-887H-185P curved

Langenbeck
Periosteal Elevator



19.5 cm, 7 3/4"
26M-888H-01P blunt edge
26M-889H-01P sharp edge


Key Periosteal
Elevator sharp edge



26M-890H-06P	17.7 cm, 7"	6.5 mm width
26M-891H-09P	18.5 cm, 7 1/4"	9.5 mm width
26M-892H-12P	18.5 cm, 7 1/4"	12.7 mm width
26M-893H-19P	20.0 cm, 8"	19.0 mm width
26M-894H-25P	20.9 cm, 8 1/4"	25.0 mm width

Bone Livers, Knee Retractors & Spinal Retractors

Aufranc



26M-895H-290P
29 cm, 11 1/2"

26M-896H-290P
29 cm, 11 1/2"

26M-897H-290P
29 cm, 11 1/2"

Blount Knee Retractor




26M-898H-175P
17.5 cm, 7"

Bennet



26M-899H-260P
24 cm, 9 1/2"
43 mm, 60 mm
65 mm,

Periosteal Elevator



	17.5 cm, 7"
	For Metacarpols Small
26M-900H-175P	6 mm width
	For Metacarpols Small
26M-901H-175P	10 mm width
	Light curve, Rounded End
26M-902H-175P	5 mm width
	Contra Angled Curve
26M-903H-175P	4.5 mm width

Bone Livers, Knee Retractors & Spinal Retractors



26M-904H-180P
18 cm, 7“
Small, width 6 mm
short, narrow tip



26M-905H-180P
18 cm, 7“
Small, width 8 mm
short, narrow tip



26M-906H-160P
12.5 cm, 5“
For Small Fragments
Board Shank



26M-907H-200P
20 cm, 8“
width 8 mm
short, narrow tip



26M-908H-200P
20 cm, 8“
width 18 mm short, narrow tip

26M-909H-200P
20 cm, 8“
width 18 mm short, narrow tip

Hohmann



26M-910H-150P
15 cm, 6“



26M-911H-154P
15.4 cm, 6“
Short Tip



26M-912H-180P 18 cm, 7“
Width 43 mm narrow tip
26M-913H-180P 18 cm, 7“
Width 70 mm narrow tip



26M-914H-180P
18 cm, 7“
Width 43 mm
long shank, angled



26M-915H-160P
16 cm, 6 1/2“
width 22 mm wide tip

MHP
Sterile Instrumente

Bone Livers, Knee Retractors & Spinal Retractors



26M-916H-160P 16 cm, 6 1/2"
long wire tip for Hip Surgery, width 24 mm

Lange-Hohmann



26M-917H-240P 24 cm, 9 1/2"
26M-918H-240P 26 cm, 10 1/2"
26M-919H-240P 29 cm, 11 1/2"

Retractor
For Knee



26M-920H-270P
27 cm, 11" Blunt

Alexander



26M-921H-200P
20 cm, 8"

Matson



26M-922H-220P
22 cm, 9"

Retractors

Cushing Vein Retractor



26M-923H-225P
22.5 cm, 9“ with fenestrated handle
Blade 12 mm width x 10 mm

Cushing Decompression Retractor



26M-924H-21P
21.5 cm, 8 1/2“ with fenestrated blade and handle Blade
13 mm width x 22 mm

Scoville



	24 cm, 9 1/2“
26M-925H-01P	straight
26M-926H-02P	carved 7 mm

Taylor



	17 cm, 6 3/4“
26M-927H-170P	30 x 75 mm
26M-928H-170P	30 x 100 mm

Hibbs



26M-929H-230P	25 x 75 mm, 23 cm, 9“
26M-930H-240P	25 x 80 mm, 24 cm, 9 1/2“

Meyerding



26M-931H-200P	16 x 50 mm, 20 cm, 8“
26M-932H-230P	25 x 75 mm, 23 cm, 9“
26M-933H-240P	50 x 90 mm, 24 cm, 9 1/2“

Retractors

Senn
Retractor



16 cm, 6 1/4“
26M-934H-01P 3 sharp prongs
26M-935H-02P 3 blunt prongs

Little
Retractor



26M-936H-190P
19 cm, 7 1/2“
Blade 7 mm x 18 mm

Blade
Retractor



	18 cm, 7”
26M-937H-18P	18 mm x 76 mm
26M-938H-20P	20 mm x 76 mm
26M-939H-23P	23 mm x 76 mm

Dura Dissectors

Frazier



26M-940H-150P
15 cm, 6“

Hoen




26M-941H-150P
15 cm, 6“
90°

Horsley



26M-942H-200P
20 cm, 8“

Toennis



26M-943H-01P
wide

26M-944H-02P
narrow

24 cm, 8 1/2“

Dura Dissectors

Davis



26M-945H-04P
24.5 cm, 9 3/4“

Olivecrone
Delicate pattern



26M-946H-180P 18 cm, 7“
26M-947H-240P 24 cm, 9 1/2“
delicate pattern

Olivecrone
Heavy pattern



26M-948H-180P 18 cm, 7“
26M-949H-240P 24 cm, 9 1/2“
heavy pattern

Micro Instruments

Micro Instruments





Dissector
18.5 cm, 7 1/4“
26M-952H-10P 1.0 mm
26M-953H-15P 1.5 mm
26M-954H-20P 2.0 mm

23 cm, 9“
26M-955H-10P 1.0 mm
26M-956H-15P 1.5 mm
26M-957H-20P 2.0 mm



Raspatory, Round
18.5 cm, 7 1/4“
26M-958H-20P 2.0 mm
26M-959H-30P 3.0 mm

23 cm, 9“
26M-960H-20P 2.0 mm
26M-961H-30P 3.0 mm



Curette
26M-962H-15P 18.5 cm, 7 1/4“, 1.5 mm
26M-963H-15P 23.0 cm, 9“ , 1.5 mm
staright



Curette
26M-964H-15P 18.5 cm, 7 1/4“, 1.5 mm
26M-965H-15P 23.0 cm, 9“ , 1.5 mm
angled



Hook
26M-950H-185P 18.5 cm, 7 1/4“, 1.5 mm, 90°
26M-951H-230P 23.0 cm, 9“ , 1.5 mm, 90°
sharp




Hook
26M-966H-15P 18.5 cm, 7 1/4“, 1.5 mm, 90°
26M-967H-15P 23.0 cm, 9“ , 1.5 mm, 90°
blunt



Hook
18.5 cm, 7 1/4“
26M-968H-10P 1.0 mm,
26M-969H-15P 1.5 mm,


Micro Instruments

Nail Extracting
Forceps




26M-970H-140P
14 cm, 5 1/2"

Nail Extracting
Forceps



26M-971H-145P
14.5 cm, 5 3/4"

Finger Nail Drill
with 3 drill points




26M-973H-001P **26M-974H-002P** **26M-975H-003P**

Frill points only

26M-972H-000P
Finger nail drill with 3 drill points


Nail Splitting
Forceps



26M-976H-135P
13.5 cm, 5 1/4"

Micro Instruments

Ring Cutter




1/1

26M-978H-000P
Saw Blade Only for
26M-977H-170P

1/2

26M-977H-170P
17 cm, 6 3/4"

Ring Cutter



1/1


26M-980H-000P
Saw Blade Only for
26M-979H-170P

1/2

26M-979H-170P
17 cm, 6 3/4"


Flat Nose Pliers, Tendon Tunnling Forceps

Needle
Nose Pliers



26M-981H-140P
14 cm, 5 1/2"
Cross serrated

Needle
Nose Pliers




26M-982H-190P
19 cm, 7 1/2"
Serrated

Flat Nose



26M-983H-180P
18 cm, 7"


Tendon



26M-984H-153P
15.25 cm, 6"
6 mm

Flat Nose Pliers, Tendon Tunnling Forceps

Brand



26M-985H-150P 15 cm, 6“
26M-986H-190P 19 cm, 7 1/2“
26M-987H-240P 24 cm, 9 1/2“

Brand




26M-988H-150P 15 cm, 6“
26M-989H-190P 19 cm, 7 1/2“
26M-990H-240P 24 cm, 9 1/2“

Carroll



26M-991H-130P
13 cm, 5“
Curved Shaft
2 mm x 6 mm

Lead Hand



26M-992H-000P
Adult Size

Flat Nose, Combi-Flate, Vise Grip Pliers


Flat Nosed
Parallel Pliers



26M-993H-180P 18 cm, 7“
with lateral wire cutter

Flat Nosed
Parallel Pliers





26M-994H-170P
17 cm, 6 1/2“
Grooved, Serrated

Locking
Pliers





26M-995H-150P
18 cm, 7“
With Spring
serrated

Flat Nosed
Plier



26M-996H-210P
18 cm, 7“
parallel, with lateral
wire cutter

Flat Nose, Combi-Flate, Vise Grip Pliers

Loute



26M-997H-210P
21 cm, 8 1/2"




26M-998H-230P
23 cm, 9"
3 Prong

Model USA



Slip Joint



26M-999H-195P
19.5 cm, 8"



Wire Instruments

Extraction
Pliers



26M-1000H-180P 18 cm, 7“
26M-1001H-180P TC Jaws

Extraction
Pliers



26M-1002H-130P 13 cm, 5“
26M-1003H-180P 18 cm, 7“

Extraction
Pliers



26M-1004H-19P
19 cm, 7 1/2“

Extraction
Pliers



26M-1005H-19P
20 cm, 8“ TC

Wire Instruments

Flat-Nosed
Pliers parallel



26M-1006H-180P
18 cm, 7“
Stainless Steel

Flat-Nosed
Pliers parallel



26M-1007H-180P
with lateral wire cutter,
18 cm, 7“
Stainless Steel

Vise Grip



26M-1008H-18P 18 cm, 7“
26M-1009H-20P 20 cm, 8“
26M-1010H-24P 24 cm, 9 1/2“
Stainless Steel


Wire Tightening
Pliers



26M-1011H-180P
18 mm, 7“
T/C

Flat Nose, Combi-Flat Pliers

Wire
Forceps




26M-1012H-170P
17 cm. 6 3/4"

26M-1013H-170P
17 cm. 6 3/4"

26M-1012H-170P
with serrated jaws
26M-1013H-170P
with lonitudinal and
transvesal grooves

Needle
Nosed



26M-1014H-140P
14 cm, 5 1/2"
Serrated Groove

Extraction
Pliers



26M-1015H-130P 13 cm, 5"
26M-1016H-180P 18 cm, 7"

Nail
Extractor



26M-1017H-160P 16 cm, 6 1/2"
with Longitudinal Grove
(for Intramudullary Gliding Nails)

Wire Instruments

Bending Iron
for Krischner Wires




26M-1018H-50P
Bending Iron for
Kirschner Wires

Pliers with
serrated & groove jaws



26M-1019H-20P
26M-1020H-25P
Pliers with serrated
jaws and groove
jaws without groove

Rounded Pliers
with serrated jaws



26M-1021H-18P
Rounded Pliers with
serrated jaws

Wire Bending
Cutting Pliers



26M-1022H-10P
Wire Bending Cutting
Pliers soft wire 1.5 mm
Hard Wire 1.0 mm

Wire Instruments

Universal
Scissors



26M-1023H-10P Universal Scissors
26M-1024H-12P Universal Scissors
with TC cutting edges

Wire Cutter T/C



26M-1025H-15P
Wire Cutter T/C

Wire Bending
Pliers



26M-1026H-10P
Wire Bending Pliers
sodt Wire 1.5 mm
Hard Wire 1.0 mm

Wire Cutter



26M-1027H-12P
Wire Cutter
soft wire 2.0 mm
hard wire 1.2 mm

Extension Pin, Bow

Krischner



26M-1028H-00P 40 x 140 mm
26M-1029H-00P 60 x 220 mm

Krischner
American Type



26M-1030H-00P	Medium	130 mm
26M-1031H-00P	Large	185 mm
26M-1032H-00P	Extra Large	220 mm

Max Jaw Opening

Krischner



26M-1033H-00P 200 mm x 155 mm
26M-1034H-00P 155 mm x 155 mm
26M-1035H-00P 135 mm x 130 mm
26M-1036H-00P 120 mm x 120 mm
26M-1037H-00P 105 mm x 100 mm
26M-1038H-00P 95 mm x 110 mm
26M-1039H-00P 95 mm x 70 mm


Screw Nut
Wrench




26M-1040H-00P
14 x 17 mm

Extension Pin, Bow

Charnley-Mueller



26M-1042H-00P
Compression Clamp



	Inside Length	Inside Width
26M-1043H-00P	90 mm	75 mm
26M-1044H-00P	160 mm	90 mm
26M-1045H-00P	210 mm	110 mm
26M-1046H-00P	210 mm	150 mm


Bone Rongeurs

Hartmann



26M-1047H-185P
18.5 cm, 7 1/4"

Blumenthal




26M-1048H-150P **26M-1049H-150P**

26M-1050H-150P

15 cm, 6"

Luer



26M-1051H-150P **26M-1052H-150P**

26M-1053H-150P

15 cm, 6"

Friedman & Mini-Friedman



1/1

26M-1054H-120P
12 cm, 4 3/4"
Curved

1/1

26M-1055H-140P
14 cm, 5 1/2"
Curved

Bone Rongeurs

Universal



26M-1056H-133P
13.25 cm, 5 1/2"
Angled
17 mm x 3.5 mm

Bacon



26M-1057H-200P
20 cm, 8"


Stellbrink Synovctomy
Rongeur



26M-1058H-175P
17.5 cm, 7"

26M-1059H-175P
17 cm, 6 3/4"


Leur



26M-1060H-170P 17 cm, 6 3/4" straight
26M-1061H-170P 17 cm, 6 3/4" curved

Bone Rongeurs

Leur



26M-1062H-153P
15.5 cm, 6“
Curved Small
9 mm x 3.5 mm

Cleveland



26M-1063H-140P
14 cm, 5 1/2“

Cleveland




26M-1064H-170P
17 cm, 6 3/4“

Mead



16.5 cm, 6 1/2“



26M-1065H-165P **26M-1066H-165P**


Bone Rongeurs

Lempert



26M-1067H-190P 19 cm, 7 1/2" straight
26M-1068H-190P 19 cm, 7 1/2" curved

Lempert



1/1

26M-1069H-160P
16 cm, 6 1/2"
Curved
26M-1070H-190P
19 cm, 7 1/2"
Straight
12 mm x 3 mm
26M-1071H-190P
19 cm, 7 1/2"
Curved

1/2

Adson



1/2

26M-1072H-200P
20 cm, 8" Straight
15 cm x 7.5 mm

Bane



1/1

26M-1073H-180P
18 cm, 7"
Slightly Curved

1/2


Bone Rongeurs

Hakansson




26M-1074H-155P
15.5 cm, 6“

Stille-Ruskin



26M-1075H-230P
23 cm, 9“

Leksell-Stille



26M-1076H-230P
24 cm, 9 1/2“



26M-1077H-230P
24 cm, 9 1/2“

Stille-Luer





26M-1078H-220P
22 cm, 8 3/4“




26M-1079H-220P
22 cm, 8 3/4“

Bone Rongeurs

Echlin/Stille
Luer





26M-1080H-230P
23 cm, 9“

26M-1081H-230P
23 cm, 9“

Beyer
Rongeur



26M-1082H-180P
18 cm, 7“ curved


Mayfield





26M-1083H-170P
17 cm, 6 3/4“
Curved


Kleinert-Kutz



26M-1084H-153P
15.25 cm, 6“
2 x 13 mm

Bone Rongeurs

Ruskin-Mini




26M-1085H-153P
15.25 cm, 6“
Curved
18 x 5 mm

Ruskin



26M-1086H-180P
18 cm, 7“
Slightly Curved
16.5 x 5.5 mm

Bohler



26M-1087H-153P
15.25 cm, 6“
Straight



26M-1088H-153P
15.25 cm, 6“
Slight Curve

Beyer



26M-1089H-180P
18 cm, 7“
Curved


Bone Rongeurs

Zaufal
Jansen



26M-1090H-180P
18 cm, 7“
Slightly Curve

Semb



26M-1091H-230P
22.5 cm, 9“

Stille



26M-1092H-230P
23cm, 9“
Duckbill
17 mm x 6 mm

Echlin



26M-1093H-230P
2 mm

26M-1094H-230P
3 mm

26M-1095H-230P
4 mm

23 cm, 9“

Bone Rongeurs

Leksell



26M-1096H-220P 3 mm
26M-1097H-220P 5 mm
26M-1098H-220P 8 mm
22 cm, 8 3/4"

1/2

Mayfield



1/2

26M-1099H-170P
17 cm, 6 3/4"

Ruskin Rongeur



26M-1100H-00P
curved

Marquardt



1/2

26M-1101H-200P
20 cm, 8"

Bone Rongeurs

Stille-Luer
Rongeur Forceps



1/3



26M-1102H-230P
23 cm, 9“
26M-1103H-270P
27 cm, 10 1/2“
straight



26M-1104H-230P
23 cm, 9“
26M-1105H-270P
27 cm, 10 1/2“
curved

Stille Rongeur
Forceps



1/2

26M-1106H-230P
23 cm, 9“
Double- Action jaws 3mm wide Jaws angled to side

Leksell Rongeur
Forceps




1/2

26M-1107H-230P
23 cm, 9“
Double Action
Fully Curved
Jaw 7mm x 13mm wide

Sauerbrunch




31 cm, 12 1/4“



1/1

26M-1108H-310P
Round
20 cm



26M-1109H-310P
Straight
20 cm

Bone Cutting Forceps

Liston Bone
Cutting Forceps





26M-1110H-140P
14 cm, 5 1/2"



26M-1111H-170P
17 cm, 6 3/4"



26M-1112H-190P
19 cm, 7 1/2"
26M-1113H-220P
22 cm, 8 3/4"

Liston



Pi09-597-000



26M-1114H-140P
14 cm, 5 1/2"



26M-1115H-170P
17 cm, 6 3/4"



26M-1116H-190P
19 cm, 7 1/2"



26M-1117H-220P
22 cm, 8 3/4"

Markwalder





26M-1118H-200P
20 cm, 8"

Littauer/Liston





26M-1119H-150P
15 cm, 6"
Straight

Bone Cutting Forceps

Cleveland-Gardner





1/1

26M-1120H-160P
16 cm, 6 1/2"

1/2

Walton-Liston





1/1

26M-1121H-153P
15 cm, 6"
Straight



26M-1122H-153P
15 cm, 6"
Angled

Ruskin-Liston





1/1

26M-1123H-190P
19 cm, 7 1/2" Straight
26M-1124H-190P
19 cm, 7 1/2" Curved

Stille-Listo





1/1

26M-1125H-270P
27 cm, 10 1/2"
Straight

1/3

Bone Cutting Forceps

Cleveland




26M-1126H-170P
17 cm, 6 3/4"

Cleveland



26M-1127H-150P
15 cm, 6"


Liston



26M-1128H-230P
23 cm, 9"
Angled

26M-1129H-270P
27 cm, 10 1/2"
Angled

Liston-Stille



26M-1130H-260P
26 cm, 10 1/4"


Bone Cutting Forceps

Mc Indoe



26M-1131H-175P
17.5 cm, 7“

Horsley
Bone Cutting Forceps




26M-1132H-250P
25 cm, 10“

Liston-Key
(Horsley)




26M-1133H-265P
26.5 cm, 10 1/2“
Angled, 28 mm

Cottle
Kazanjian




26M-1134H-190P
19 cm, 7 1/2“

Bone Cutting Forceps



26M-1135H-150P
15 cm, 5 3/4“

Semb



26M-1136H-240P
24 cm, 9 1/2“

Ruskin Bone
Splitting Forceps



26M-1137H-200P
20 cm, 8“ , Double-Action

Dressing Scissors / Plaster Shears


Gorney Septal
Scissors



26M-1138H-197P
19.7 cm, 8“
double action

1/2

Utility
Shears



26M-1139H-215P
21.5 cm, 8 1/2“
Serrated blade

1/2

Seutin



26M-1140H-230P
23.0 cm, 9“

1/2

Wolff



26M-1141H-180P 18 cm, 7“
26M-1142H-240P 24 cm, 9 1/2“

Dressing Scissors / Plaster Shears

Stille



26M-1143H-200P 20 cm, 8“
26M-1144H-230P 23 cm, 9“
26M-1145H-260P 26 cm, 10“
26M-1146H-370P 37 cm, 14 1/2“

Henning



26M-1147H-280P
28 cm, 11“

Caplan



26M-1148H-220P 22 cm, 8 3/4“ Straight
26M-1149H-220P 22 cm, 8 3/4“ Curved

Orthopaedics Wire Cutter


Diamant
Pin Cutter



26M-1150H-150P
15 cm, 6"




26M-1151H-160P
16 cm, 5 1/2"



26M-1152H-220P
22 cm, 9 3/4"




26M-1153H-320P
32 cm, 12 3/4"
3.0 mm, 3.0 mm



26M-1154H-235P
23.5 cm, 9 1/4"



26M-1155H-140P
14 cm, 5 1/2"
1.2 mm



26M-1156H-240P
24 cm, 9 1/2"

Flat Nose Pliers & Wire Cutting Pliers T.C. Inserted

Extraction Pliers



26M-1157H-180P 18 cm, 7“
26M-1158H-180P 18 cm, 7“

Extraction Pliers




26M-1159H-200P
20 cm, 8“

Extraction Pliers



26M-1160H-200P
20 cm, 8“

Wire Cutters




26M-1161H-180P
18 cm, 7“

26M-1162H-180P
18 cm, 7“


Flat Nose Pliers & Wire Cutting Pliers T.C. Inserted

Wire Cutters




26M-1163H-180P
18 cm, 7“

Wire Cutters



26M-1164H-180P 18 cm, 7“
26M-1165H-210P 21 cm, 8 1/4“

Wire Cutters



26M-1166H-180P
18 cm, 7“

Wire Cutting Pliers T.C Inserted

Universal Scissors



26M-1167H-100P 10 cm, 4“
26M-1168H-120P 12 cm, 5“

Wire Cutters



26M-1169H-180P
18 cm, 7“

Wire Cutters



26M-1170H-180P 18 cm, 7“
26M-1171H-210P 21 cm, 8 1/2“


Wire Cutters



26M-1172H-140P
14 cm, 5 1/2“


Wire Cutting Pliers T.C Inserted

Wire Cutters



26M-1173H-460P 46 cm, 18“
26M-1174H-560P 56 cm, 22“

Wire Cutters



26M-1175H-220P
22 cm, 8 3/4“



2.0 mm
1.6 mm

26M-1176H-240P
24 cm, 9 1/2“



MHP

Sterile Instrumente

info@mhp-gmbh.com | www.mhp-gmbh.com